

## Bibliography

- Alaska Department of Environmental Conservation, Division of Air and Water Quality. 2003. Alaska Enhanced Smoke Management Plan.
- Alaska Interagency Wildland Fire Coordinating Group. 1998. Alaska Interagency Wildland Fire Management Plan.
- Anderson, B.A. and B.A. Cooper. 1994. Distribution and abundance of spectacled eiders in the Kuparuk and Milne Point Oilfields, Alaska, 1993. Final report. Anchorage, AK: ARCO. Alaska, Inc. and the Kuparuk River Unit, 71 pp.
- Bailey, R. G., P.E. Avers, T. King, W.H. McNab, eds. 1994. Ecoregions and subregions of the United States (map). Washington, DC. USDA/USFS. 1:7,500,000. With supplementary table of map unit descriptions, compiled and edited by W. H. McNab and R. G. Bailey.
- Balogh, G. 1997. Spectacled eiders: threatened seaduck on the NPR-A. In: NPR-A Symposium Proceedings-Science, Traditional Knowledge, and the Resources of the Northeast Planning Area of the National Petroleum Reserve in Alaska. Anchorage, AK. Apr. 16-18, 1997. OC Study, MMS 97-0013. Anchorage, AK: USDI, BLM and MMS, Alaska OCS Region.
- Balogh, G.R. and W.W. Larned, 1995. Comparing three years of bird population indices from aerial surveys of the North Slope. Soldotna, AK: USDI/FWS, 4 pp.
- Bell, M.C. 1986. Fisheries handbook of engineering requirements and biological criteria. U.S. Army Corps of Engineers, Office of the Chief of Engineers, Fish Passage Development and Evaluation Program, Portland, Oregon.
- Benda, L. E. and T. W. Cundy. 1990. Predicting deposition of debris flows in mountain channels. *Canadian Geotechnical Journal* 27:409-417.
- Benda, L., D. Miller, P. Bigelow, K. Andras. in press. Fires, erosion, and floods: The role of disturbance in forest ecosystems. Manuscript accepted to *Forest Ecology and Management*.  
[http://www.fs.fed.us/rm/boise/teams/fisheries/fire/FAE%20Papers/abstracts/benda\\_Abstract.pdf](http://www.fs.fed.us/rm/boise/teams/fisheries/fire/FAE%20Papers/abstracts/benda_Abstract.pdf)
- Berg, E.E. 1998. Spruce bark beetle history studies, Kenai Peninsula. Interim report, 1994-1997. Kenai National Wildlife Refuge, Soldotna, AK. 66pp.
- Berger, M. 1996. Summer habitat relationships and foraging ecology of the Delta bison herd. M.S. Thesis, University of Alaska, Fairbanks. 113 p.
- Bergman, R.D., R.L. Howard, K.F. Abraham, and M.W. Weller. 1977. Water birds and their wetland resources in relation to oil development at Storkersen Point, Alaska. U.S. Dept. of Interior, Fish and Wildlife Service, Washington, D.C. Resource Publication 129. 38 pp.
- Beschta R.L., C.A. Frissell, R. Gresswell, R. Hauer, J.R. Karr, G.W. Minshall, D.A. Perry, J.J. Rhodes. 1995. Wildfire and salvage logging: recommendations for ecologically sound post-fire salvage logging and other post-fire treatments on Federal lands in the West. Corvallis, OR: Oregon State University.
- Bisson, P.A., B.R. Rieman, C. Luce, P.F. Hessburg, D.C. Lee, J.L. Kershner, G.H. Reeves. in review. Fire and Aquatic Ecosystems: Current Knowledge and Key Questions. *Forest Ecology and Management*. Available at [http://www.fs.fed.us/rm/boise/teams/fisheries/fire/FAE%20Papers/abstracts/synthesis\\_abstract\\_FAE.pdf](http://www.fs.fed.us/rm/boise/teams/fisheries/fire/FAE%20Papers/abstracts/synthesis_abstract_FAE.pdf)
- Bjornn, T.C. and D.W. Reiser. 1991. Habitat Requirements of Salmonids in Streams. p. 83-138. In W.R. Meehan (ed.), *Influences of forest and rangeland management on salmonid fishes and their habitats*. American Fisheries Society Special Publication 19, Bethesda, Maryland.
- Boutin, S. and D.E. Birkenholz. 1987. Muskrat and round-tailed muskrat. Pages 315-325 in M. Novak, J.A. Baker, M.E. Obbard, and B. Malloch, eds. *Wild furbearer management and conservation in North America*. Ontario Trappers Association, North Bay. 1150 p.
- Brelsford, Taylor, 1983 – 1986. Field Notes. Dissertation research on subsistence practices of central Kuskokwim Rivers communities.
- Burdick, G.E. and M. Lipshuetz. 1950. Toxicity of ferro- and ferricyanide solutions to fish and determination of the cause of mortality. *Transactions of the American Fisheries Society*. 78:192.
- Campbell, B.H. and M. Hinkes. 1983. Winter diets and habitat use of Alaska bison after wildfire. *Wildlife Society Bulletin* 11:16-21.

- Chapin, F.S. III, T.S. Rupp, A.M. Starfield, L. DeWilde, E.S. Zavaleta, N. Fresco, J. Henkelman, and A.D. McGuire. 2003. Planning for resilience: modeling change in human-fire interactions in the Alaskan boreal forest. *Frontiers in Ecology and the Environment* 1:255-261.
- Churchill, E.A. Jr. 1990. Stream glaciation. Paper presented at 2<sup>nd</sup> Annual Fish Habitat Improvement Workshop of the American Fisheries Society, July 10-12, Anchorage, AK. Available from U.S. Army Corps of Engineers, Anchorage.
- Clarke, R.G. 1984. The sharp-shinned hawk (*Accipiter striatus* Vieillot) in interior Alaska. M.S. Thesis, University of Alaska, Fairbanks. 130 p.
- Cottam, C. 1939. Food habits of North American diving ducks. USDA Technical Bulletin No. 643. Washington DC: U.S. Dept. of Agriculture.
- Cramp, S., K. Simmons, I. Ferguson-Lees, R. Gillmor, P. Hollom, R. Hudson, E. Nicholson, M. Ogilvie, P. Olney, K. Voous, and J. Wattel. 1977. Handbook of the birds of Europe, the Middle East, and North Africa. Oxford UK: Oxford University Press.
- Core, John. 1999. National Wildland Fire Coordinating Group-Fire Use Working Team. National Assessment of Smoke Management Practices & Techniques.
- Dau, C. P. and S. A. Kistchinski. 1977. Seasonal movements and distribution of the spectacled eider. *Waterfowl* 28:65-75.
- Dau, C. 1974. Nesting biology of the spectacled eider, *Somateria fischeri* (Brandt), on the Yukon-Kuskokwim Delta, Alaska. M.S. Thesis. Fairbanks AK: University of Alaska Fairbanks.
- DeBano, Leonard F., Daniel G. Neary, and Peter F. Folliott. 1998. Fire effects on ecosystems. John Wiley and Sons, Inc. New York. 332p.
- Densmore, R.V., G.P. Juday, and J.C. Zasada. 1999. Regeneration alternatives for upland, white spruce after burning and logging in interior Alaska. *Canadian Journal of Forest Research* 29: 413-423.
- Derksen, D.V., T.C. Rothe, and W.D. Eldridge. 1981. Use of wetland habitats by birds in the National Petroleum Reserve-Alaska. FWS Resource Publication 141. Washington, DC: USDO, Fish and Wildlife Service, 25 pp.
- Detenbeck, N.E, P.W.DeVore, G.J. Niemi, A. Lima. 1992. Recovery of temperate-stream fish communities from disturbance: A review of case studies and synthesis of theory. *Environmental Management* 16:33-53.
- Dodge, M.1970. Nitrate poisoning, fire retardants and fertilizers---Any connection? *Journal of Range Management*. 23: 244-247.
- Dyrness, C. T. 1982. Control of depth to permafrost and soil temperature by the forest floor in black spruce/feathermoss communities. USDA/USFS Research Note. PNW-396.
- Elmore, W., R.L. Beschta. 1987 Riparian areas: Perceptions in Management. *Rangelands* 9(6):260-265.
- Ely, C.R., C.P. Dau, and C.A. Babcock. 1994. Decline in a population of spectacled eiders nesting on the Yukon-Kuskokwim Delta, Alaska. *Northwest Naturalist* 75:81-87.
- Fall, James A. 1990. The Division of Subsistence of the Alaska Department of Fish and Game: An overview of its research program and findings: 1980-1990. *Arctic Anthropology*. 27(2)68-92.
- Federal Register. 1997. Endangered and Threatened Wildlife and Plants: Threatened Status for the Alaska Breeding Population of the Steller's Eider. Final Rule FR 62(11)2:31748-31757.
- Federal Register. 1993. Endangered and Threatened Wildlife and Plants: Final Rule to List Spectacled Eider as Threatened. FR 58(88): 27,474-27480.
- Federal Register. 2001. Endangered and Threatened Wildlife and Plants: Final Determination of Critical Habitat for Spectacled Eider. FR 66(25):9146-9185.
- Federal Register. 2001. Endangered and Threatened Wildlife and Plants: Final Determination of Critical Habitat for Alaska Breeding Population of the Steller's eider FR 66(25)8850-8884.
- Finger, S. (Editor), B. Poulton, S. Hamilton, K. Buhl, N. Vyas, E. Hall, and D. Larson. 1997. Toxicity of fire retardant and fire suppressant chemicals to plant and animal communities. Report to Interagency Fire Coordination Committee. Boise, ID.
- Flint, P.L. and M.P. Herzog. 1999. Breeding of Steller's Eider, *Polysticta stelleri*, on the Yukon-Kuskokwim Delta, Alaska. *Canadian Field Naturalist* 113:306-308.
- Flint, P.L., M.R. Petersen, and J.B. Grand. 1997. Exposure of spectacled eiders and other diving ducks to lead in western Alaska. *Canadian Journal of Zoology* 75:439-443.

- Foote, M. J. 1976. Classification, description, and dynamics of plant communities following fire in the taiga of interior Alaska. Fire effects study. USDA/USFS Institute of Northern Forestry. Final report. BLM contract No. 53500-ct2-224.
- Foote, M. J. 1983. Classification, description, and dynamics of plant communities after fire in the taiga of interior Alaska. USDA/USFS, Res. Pap. PNW-307, Pacific Northwest Forest and Range Experiment Station., Portland. 108 pp.
- Fox J.L., C.A: Smith and J.W. Schoen. 1989. Relation between mountain goats and their habitat in southeastern Alaska. General Technical Report PNW-GTR-246. 25 p.
- Gabriel, H.W. and G.F. Tande. 1983. A regional approach to fire history in Alaska. BLM-Alaska Tech. Rep. 9, Anchorage, AK. 34 pp.
- Gasaway, W.C., S.D. DuBois, R.D. Boertje, D.J. Reed, and D.T. Simpson. 1989. Response of radio-collared moose to a large burn in central Alaska. Canadian Journal of Zoology 67:325-329.
- Grand, J.B., P.L. Flint, M.R. Petersen, and C.L. Moran. 1998. Effect of lead poisoning on spectacled eider survival rates. Journal of Wildlife Management 62(3):1103-0019.
- Gresswell, R. E. 1999. Fire and aquatic ecosystems in forested biomes of North America. Transactions of the American fisheries society 128:193-221.
- Hanley, T.A., C.T. Robbins, and D.E. Spalinger. 1989. Forest habitats and the nutritional ecology of Sitka black-tailed deer: a research synthesis with implications for forest management. USDA/USFS General Technical Report PNW-GTR-230. Portland, OR. 52 p.
- Hardy, C.C., J.P. Menakis, D.G. Long, J.K. Brown, and D.L. Bunnell. 1998. Mapping historic fire regimes for the western United States: integrating remote sensing and biophysical data. In: Proceedings of the 7th Biennial USFS Remote Sensing applications conference. 1993 April 609, Nassau Bay, TX. Bethesda, MD: American Society for Photogrammetry and Remote Sensing. p288-300.
- Heilman, P .E. 1968. Relationship of availability of phosphorus and cations to forest succession and bog formation in interior Alaska. Ecology 49:331-336.
- Heilman, P. E. 1966. Change in distribution and availability of nitrogen with forest succession on north slopes in interior Alaska. Ecology 47:825-831.
- Hoefs, M. 1979. The use of prescribed burning to improve Dall sheep habitat in the Yukon. Pages 183-189 in M. Hoefs and D. Russel, editors. Wildlife and wild fire: Proceedings of workshop. Whitehorse, Yukon. 205 p.
- Jandt, R. R. and C.R. Meyers. 2000. Recovery of lichen in tussock tundra following fire in northwestern Alaska. BLM Open File Report 82:25 pp.
- Johnson, A.K. 1999. Breeding bird density and species diversity in relation to primary productivity in the Tanana River floodplain. M.S. Thesis, University of Alaska, Fairbanks. 89 p.
- Johnson, W.N., T.F. Paragi, and D.D. Katnik. 1995. The relationship of wildland fire to lynx and marten populations and habitat in interior Alaska. Final report. U.S. Fish and Wildlife Service, Galena, AK. 145 p.
- Joly, K., B.W. Dale, W.B. Collins, and L.G. Adams. 2002. Evaluating the impacts of wildland fires on caribou in interior Alaska. Arctic Research 16:63-67.
- Joly, K., B.W. Dale, W.B. Collins, and L.G. Adams. 2003 (in press): Winter habitat use by female caribou in relation to wildland fires in interior Alaska. Can. J. Zobl. 81.
- Joly, K., B.W. Dale, W.B. Collins, and L.G. Adams. 2003. Evaluating the impacts of wildland fires on caribou in interior Alaska. Arctic Research of the United States 16:63-67.
- Kasischke, E. S., D. Williams, and D. Barry. 2002. Analysis of the patterns of large fires in the boreal forest region of Alaska. Intl. J. of Wildland Fire 11, 131-144.
- Keith, L.B. 1990. Dynamics of snowshoe hare populations. pages 119-195 in H.H. Genoways, editor. Current Mammalogy, Volume 2. Plenum Press, New York.
- Kertell, K. 1991 Disappearance of the steller's eider from the Yukon-Kuskokwim Delta, Alaska. Arctic 49(4):356-386.
- Kessel, B. 1998. Habitat characteristics of some passerine birds in western North American Taiga. Univ. Alaska Press, Fairbanks. 117p.
- Kirchhoff, M.D. and J.W. Schoen. 1987. Forest cover and snow: implications for deer habitat in southeast Alaska. Journal of Wildlife Management 51:28-33.
- Kistchinski, A.A. and V.E. Flint. 1974. On the biology of the spectacled eider. Wildfowl 24:5-15.
- Klein, D.R. 1982. Fire, lichens, and caribou. Journal of Range Management 35:390-395.

- Klein, D.R. 2000. The muskox. Pages 545-558 in S. Demarais and P.R. Krausman, editors. Ecology and management of large mammals in North America. Prentice-Hall, Upper Saddle River, New Jersey. 778 p.
- Klotz, R.L. and E.A. Matson. 1978. Dissolved organic carbon fluxes in the Shetucket River of eastern Connecticut, U.S.A. *Freshwater Biology* 8:347-355.
- Kondratev, A.V. and L.V. Zadorian. 1992. Comparative ecology of the king eider *Somateria spectabilis* and spectacled eider *Somateria fisheri* on the Chaun tundra. *Zool. Zhur.* 71:99-108. (in Russian; translation by J. Pearce, USGS-BRD, Anchorage, AK.)
- Krebs, C.J., S. Boutin, and R. Boonstra, editors. 2001. Ecosystem dynamics of the boreal forest: The Kluane Project. Oxford University Press, New York. 511 p.
- Labat-Anderson. 1994. Chemicals used in wildland fire suppression: A risk assessment. Report to Fire and Aviation Management. Lab-Anderson Inc. Arlington, VA.
- Larned, W.W. and G.R. Balogh. 1994. Eider breeding populations survey, Alaska Arctic Coastal Plain, 1993. Progress Report. Anchorage, AK: USDI/FWS, 18 pp.
- Larned, W.W. and G.R. Balogh. 1997. Eider breeding population survey Arctic Coastal Plain, Alaska, 1992-96. Anchorage, AK: USDI/FWS, Migratory Bird Management and Ecological Services, 51 pp.
- Larned, W.W., G.R. Balogh, and M.R. Peterson. 1995. Distribution and abundance of spectacled eiders (*Somateria Fischeri*) in Ledyard Bay, Alaska, Anchorage, AK: USDI/FWS, 11 pp.
- Larned, W.W., G.R. Balogh, R.A. Stehn, and W.I. Butler. 1993. The status of eider breeding populations in Alaska, 1992. Unpublished Report. Anchorage, AK: USDI/FWS, 55 pp.
- Larson, S. M. 1969. Fire in far north regions: a bibliography. USDI Departmental Library publication PB-189 099, bibliography series 14, 37pp.
- Lehmkuhl. K.L. 2000. Population dynamics and ecology of yellow-cheeked voles (*Microtus xanthognathus*) in early post-fire seres of interior Alaska. M.S. Thesis, University of Alaska, Fairbanks. 106 p.
- Lewis, H.T. and T.A. Ferguson. 1988. Yards, corridors, and mosaics: how to burn a boreal forest. *Human Ecology* 16:57-77.
- Little, Edward and Robin Calfee (USGS). 2002. Environmental implications of fire-retardant chemicals. Report to Fire and Aviation Management, USFS. Columbia, MO.
- Lovvorn, J.R., S.E. Richman, J.M. Grebmeier, and L.W. Cooper. 2003. Diet and body condition of spectacled eiders wintering in pack ice of the Bering Sea. *Polar Biology* 26:259-267.
- Lutz, H: J. 1959. Aboriginal man and white man as historical causes of fires in the boreal forest, with particular reference to Alaska. *Bulletin* 65, Yale School of Forestry.
- Magoun, A.J. and D.J. Vernam. 1986. An evaluation of the Bear Creek burn as marten (*Manes americana*) habitat in interior Alaska. Cooperative agreement. AK-950CAH), BLM and Alaska Department of Fish and Game, Fairbanks. 58 pp. + appendices.
- McCracken, J.G. and L.A. Viereck. 1990. Browse regrowth and use by moose after fire in interior Alaska. *Northwest Science* 6.4:11-18.
- McDowell, W.H. and S.G. Fisher. 1976. Autumnal processing of dissolved organic matter in a small woodland stream ecosystem. *Ecology* 57: 561-569.
- McEachern P.M. et al. 2000. Forest fire induced impacts on phosphorus, nitrogen, and chlorophyll a concentrations in boreal subarctic lakes of northern Alberta. *Canadian Journal of Fisheries and Aquatic Sciences* 57 (suppl. 2):73-81.
- McIntosh, B.A., J.R. Sedell, J.E. Smith, R.C. Wissmar, S.E. Clarke, G.H. Reeves, L.A. Brown. 1994. Management history of eastside ecosystems: Changes in fish habitat over 50 years, 1935-1992 USDA/USFS General Technical Report PNW-GTR-321. 55p.
- Meehan, W.R.. 1991. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society Special Publication 19.
- Michel, B. 1971. Winter regime of rivers and lakes. Monograph III-B1a. Hanover, NH: US. Army Corps of Engineers, Cold Regions Science and Engineering Laboratory.
- Minshall, G.W. in review. Community/food web responses of stream macroinvertebrates to fire. Submitted to *Forest Ecology and Management*.
- Minshall, G.W. and J.T. Brock. 1991. Observed and anticipated effects of forest fire on Yellowstone stream ecosystems. *Greater Yellowstone Ecosystem: Redefining America's Wilderness Heritage*. Yale University Press, New Haven, CT 123-135.

- Minshall, G.W., C.T. Robinson, T.V. Royer, and S.R. Rushforth. 1995. Benthic community structure in two adjacent streams in Yellowstone National Park five years after the 1988 wildfires. *Great Basin Naturalist* 55:193-200.
- Minshall, G.W., J.T. Brock, and J.D. Varley. 1989. Wildfires and Yellowstone's stream ecosystems. *BioScience*. 39: 707-715.
- Minshall, G.W., J.T. Brock, D.A. Andrews, and C.T. Robinson. 2001. Water quality substratum and biotic responses of five central Idaho streams during the first year following the Mortar Creek fire. *International Journal Wildland Fire* 10:185-199.
- Minshall, G.W., C.T. Robinson, and D.E. Lawrence. 1997. Post-fire responses of lotic ecosystems in Yellowstone National Park, U.S.A. *Canadian Journal of Fisheries and Aquatic Sciences* 54: 2509-2525.
- Montana State University 1991. Montana Forestry BMPs: Best Management Practices, Publication Number EBOO96.
- Moody, J.A., Martin, D.A. 2001. Initial hydrologic and geomorphic response following a wildfire in the Colorado front range. *Earth Surface Processes and Landforms* 26:1049-1070.
- Moran, T. and C. Harwood. 1994. Nesting Ecology, Brood Survival and Movements of Spectacled Eiders on Kigigak Island, Yukon Delta NWR, Alaska. Unpublished report. Bethel AK: USDI/FWS.
- Murphy, E.C. and W.A. Lehnhausen. 1998. Density and foraging ecology of woodpeckers following a stand-replacement fire. *Journal of Wildlife Management* 62:1359-1372.
- Murphy, M.L., and W.R. Meehan. 1991. Stream Ecosystems, p. 17-46. In W.R. Meehan (ed.), *Influences of forest and rangeland management on salmonid fishes and their habitats*. American Fisheries Society Special Publication 19, Bethesda, Maryland.
- Neary, D.G., Hornbeck, J.W. 1994. Chapter 4: Impacts of harvesting and associated practices on off-site environmental quality. pp. 81-118. In: W.J. Dyck, D.W. Cole, and N.B. Comerford (eds.) *Impacts of Forest Harvesting on Long-Term Site Productivity*, Chapman & Hall, London.
- North, M.R. 1990. Distribution, abundance, and status of Spectacled Eiders in Arctic Alaska. Unpubl. Report, by U.S. Fish and Wildlife Service, Alaska Fish and Wildl. Research Center, Anchorage, AK.
- Orth, D.J. and R.J. White. 1993. Stream habitat management in inland fisheries management in North America, edited by C.C. Kohler and W.A. Hubert, pp.205-230. Bethesda, MD: American Fisheries Society.
- Paragi, T.F., W.N. Johnson, D.D. Katnik, and A.J. Magoun. 1996. Marten selection of post-fire seres in the Alaskan taiga. *Canadian Journal of Zoology* 74:222.6-2237.
- Paragi, T.F., W.N. Johnson, D.D. Katnik, and A.J. Magoun. 1997. Selection of post-fire seres by lynx and snowshoe hares in the Alaskan taiga. *Northwestern Naturalist* 78:77-86.
- Peek, J.M. 1997. Habitat relationships. pages 351-375, A.W. Franzmann and C.C. Schwartz, editors. *Ecology and management of North American moose*. Smithsonian Institution Press, Washington, D.C. 733 pp.
- Petersen, M.R., W.W. Larned, and D.C. Douglas. 1999. At-sea distribution of spectacled eiders: A 120-Year-Old Mystery Resolved. *Auk* 1164:1009-1020.
- Petersen, M.R., P.L. Flint, W.W. Larned, and J.B. Grand. 1999. Monitoring Beaufort Sea waterfowl and marine birds. Annual Progress Report. Anchorage, AK: U.S. Geological Survey, Biological Resources Div., 33 pp.
- Quakenbush, L.T., R.H. Day, B.A. Anderson, F. Pitelka, and B. McCaffery. 2002. Historical and present breeding season distribution of Steller's eiders in Alaska. *Western Birds* 33:99-120.
- Quakenbush, L., and J. F. Cochrane. 1993. Report on the conservation status of Steller's eider (*Polysticta Stelleri*), a candidate threatened and endangered species. USDI/FWS Unpublished Report. Anchorage, AK:, 26 pp.
- Quakenbush, L., R. S. Suydam, K. M. Fluetsch, and C. L. Donaldson. 1995. Breeding, biology of Steller's eiders nesting near Barrow, Alaska, 1991-1994. Technical Report NAES-TR-95-03. Fairbanks, AK: USDI/FWS, 53 pp.
- Racine, C. H., J.G. Dennis, and W.A. Patterson III. 1985. Tundra fire regimes in the Noatak River Watershed, Alaska: 1956-83. *Arctic*. 38(3): 194-200.
- Racine, C. H., L. A. Johnson, and L. A. Viereck. 1987. Patterns of vegetation recovery after tundra fires in northwestern Alaska, U.S.A. *Arctic and Alpine Research* 19(4):461-469.
- Raymond, R.L. 1999. Sharp-tailed grouse habitat study in eastern interior Alaska. Alaska Department of Fish and Game Unpublished Report, Juneau. 18 p.

- Reeves, G.H., L.E. Benda, K.M. Burnett, P.A. Bisson, J.R. Sedell. 1995. A disturbance-based ecosystem approach to maintaining and restoring freshwater habitats of evolutionarily significant units of anadromous salmonids in the Pacific Northwest. In: Nielsen, J. (ed.), *Evolution and the Aquatic Ecosystem*. Amer. Fisheries Soc. Symp. 17, Bethesda, MD, pp. 334-349.
- Reid, L. M. 1993. Research and cumulative watershed effects. USDA/USFS, Pacific Southwest Research Station General Technical Report PSW-GTR-141. Berkeley, CA: 118 p.
- Rieger, Samuel, Dale B. Schoephorster, and Clarence E. Furbush. 1979. Exploratory soil survey of Alaska, USDA, Soil Conservation Service. 213p.
- Rinne, J.N. 1996. Short-term effects of wildfire on fishes and aquatic macro-invertebrates in the Southwestern United States. *North American Journal of Fisheries Management* 16: 653-658.
- Robichaud, Peter, Jan Byers, and Daniel Neary. 2000. Evaluating the effectiveness of post-fire rehabilitation treatments. USDA/USFS General Technical Report RMRS-GTR-63.
- Roessler, J.S. 1997. Disturbance history in the Tanana River basin of Alaska: Management implications. M.S. Thesis, Univ. Alaska, Fairbanks. 220 p.
- Rosgen, D. L. 1996. Applied river morphology. Pagosa Springs, CO: Wildland Hydrology. 364p.
- Rothe, T.C., C.J. Markon, L.L. Hawkins, and P.S. Koehl. 1983. Waterbird populations and habitat analysis of the Colville River Delta, Alaska: 1981 summary report USDI/FWS, Anchorage, AK. 131pp.
- Rupp, T. S., F. S. Chapin III, and A. M. Starfield. 2000. Response of subarctic vegetation to transient climatic change on the Seward Peninsula in northwest Alaska. *Global Change Biology* 6:541-555.
- Russell, D.E., A.M. Martell, and W.A.C. Nixon. 1993. Range ecology of the Porcupine Caribou Herd in Canada. *Rangifer Special Issue No. 8*. 167 p.
- Saperstein, L.B. 1993. Winter forage selection by barren-ground caribou: effects of fire and snow. M.S. Thesis, University of Alaska, Fairbanks. 93 p.
- Schmidt, K.M., J.P. Menakis, C.C. Hardy, W.J. Hann, and D.L. Bunnell. 2002. Development of coarse-scale spatial data for wildland fire and fuel management. USDA/USFS Rocky Mountain Research Station General Technical Report RMRS-GTR-87.
- Seip, D.R. and F.L. Bunnell. 1985. Range burning, Stone's sheep, and the leaky bucket. Pages 44-47 in J.E. Lotan and J.K. Brown, compilers: *Fire's effects on wildlife habitat-symposium proceedings*. USDA/USFS General Technical Report INT-186, 96 p.
- Shugart, H. H., R. Leemans, and G. B. Bonan. 1992. A systems analysis of the global boreal forest. *Great Britain: Cambridge Univ. Press*, 565 pp.
- Slaughter, C.W. 1990. Aufeis formation and prevention. *Cold Regions Hydrology and Hydraulics. Technical Council on Cold Regions Engineering Monograph*. Fairbanks, AK:
- Slough, B.G. 1999. Characteristics of Canada lynx, *Lynx canadensis*, maternal dens and denning habitat. *Canadian Field-Naturalist* 113:605-608.
- Smith, L.N., L.C. Byrne, C.B. Johnson, and A.A. Stickney. 1994. *Wildlife studies on the Colville River Delta, Alaska*. Fairbanks, AK: ARCO Alaska, Inc., 95 pp.
- Spencer, C.N. and F.R. Hauer. 1991. Phosphorus and nitrogen dynamics in streams during a wildfire. *Journal of the North American Benthological Society* 10: 24-30.
- Spencer, C.N., F.R. Hauer, and K.O. Gabel. in review. Wildfire effects on nutrient dynamics and stream food webs in Glacier National Park, USA. Submitted to *For. Ecol. Manage.*
- Spindler, M: and B. Kessel. 1980. Avian populations and habitat use in interior Alaska taiga. *Syesis* 13:61-104.
- Stehn, R.A., C.P. Dau, B. Conant, and W.I. Butler. 1993. Decline of spectacled eiders nesting in western Alaska. *Arctic* 46(3):264-277.
- Stephenson, R.O. 1984. The relationship of fire history to furbearer populations and harvest. *Federal Aid in Wildlife Restoration, Final Report, W-22-2, Job 7.13*. Alaska Department of Fish and Game, Juneau. 86 p.
- Stohlgren, T. J. 2000. *Current Stresses to Rocky Mountain Ecosystems*. USGS Report.
- St-Onge, J., and P. Magnan. 2000. Impact of logging and natural fires on fish communities of Laurentian Shield lakes. *Canadian Journal of Fisheries and Aquatic Sciences* 57(suppl. 2):165-174.
- Suydam, R., L. M. Quakenbush, J. C. Johnson, George, and J. Young. 1997. Migration of King and Common Eiders Past Point Barrow, Alaska, in Spring 1987, Spring 1994, and Fall 1994, D. L. Dickson, (Editor). *Occasional Paper No. 94 Canadian Wildlife Service*: pp. 21-29.

- Swanson, C.D. and R.W. Bachmann. 1976. A model of algal exports in some Iowa streams. *Ecology* 57:1076-1080.
- Thomas D. C., S. J. Barry, and G. Alaie. 1996. Fire-caribou-winter range relationships in northern Canada. *Rangifer* 16(2):57-67.
- Thompson, I.D. and R.W. Stewart. 1997. Management of moose habitat. Pages 377-401 in A.W. Franzmann and C.C.Schwartz, editors. *Ecology and management of North American moose*. Smithsonian Institution Press, Washington, D.C. 733 pp.
- USDA/USDI, USFS and BLM. 1995. PACFISH Strategies for managing anadromous fish-producing watersheds in eastern Oregon and Washington, Idaho and portions of California. Decision Notice/Decision Record, Finding of No Significant Impact, Environmental Assessment, and Appendices [http://www.fs.fed.us/r6/fish/#\\_DOCUMENTS\\_\(in\\_original\)](http://www.fs.fed.us/r6/fish/#_DOCUMENTS_(in_original)).
- USDA/USDI. 1998 Wildland and Prescribed Fire Management Policy, Implementation Procedures Reference Guide.
- USDA/USDI. 2004. Interagency Standards for Fire and Aviation Operations. Published yearly - available at <http://www.fire.blm.gov/Standards/redbook.htm>.
- USDA/USFS. 1995. Inland native fish strategy (INFISH) Environmental Assessment/Summary/Finding of No Significant Impact/Decision Notice. Intermountain, Northern and Pacific Northwest Regions.
- USDA/USFS. 1999. Material Safety Data Sheet. available at [http://www.fs.fed.us/rm/fire/retardants/current/msds/trol/lcg\\_r.pdf](http://www.fs.fed.us/rm/fire/retardants/current/msds/trol/lcg_r.pdf).
- USDA/USFS. 2000. General Technical Report RMRS-GTR-42, volume 2, Wildland Fire in Ecosystems: Effects of Fire on Flora 257pp.
- USDA/USFS. 2002. General Technical Report RMRS-GTR-42-volume 5, Wildland Fire in Ecosystems, Effects of Fire on Air.
- USDI/BLM and FWS Alaska. 1983. River Management Plan, Beaver Creek, a Component of the National Wild and Scenic Rivers System.
- USDI/BLM. 1993. Resident Fish Habitat Management. BLM Service Center Denver, CO.
- USDI/BLM. 1995. H-8550-1 Interim Management Policy for Lands Under Wilderness Review.
- USDI/BLM. 1996. Management of Anadromous Fish Habitat on Public Lands Including Sustainable Management Concepts, and Status and Trends in Alaska, Coastal and Columbia Regions.
- USDI/BLM. 2002. BLM Annual Report FY 2002
- USDI/BLM. 2003. Fuels Management Handbook HB-9214.
- USDI/BLM-Alaska, Anchorage District. 1983. River Management Plan for the Delta National Wild and Scenic River.
- USDI/BLM-Alaska, Anchorage District. 1983. River Management Plan for the Unalakleet National Wild River.
- USDI/BLM-Alaska, Anchorage District. 1983. River Management Plan for the Gulkana National Wild River, A Component of the National Wild and Scenic Rivers System.
- USDI/BLM-Alaska, Fairbanks District. 1983. Alaska, River Management Plan, Birch Creek A Component of the National Wild and Scenic Rivers System.
- USDI/BLM-Alaska, Fairbanks District. 1983. Alaska, River Management Plan, Fortymile River, Component of the National Wild and Scenic Rivers System.
- USDI/BLM-Arizona. 2003. Statewide Land Use Plan Amendment for Fire, Fuels and Air Quality Management. ([http://www.az.blm.gov/fr\\_lup.htm](http://www.az.blm.gov/fr_lup.htm)).
- USDI/BLM-Montana. 2003. Fire/Fuels Management Plan: Environmental Assessment/Plan Amendment for Montana and the Dakotas available at <http://www.mt.blm.gov/ea/fire/fireplan/index.html>.
- USDI/FWS. 1996. Spectacled Eider Recovery Plan. USDI/FWS Anchorage, AK 157 pp.
- USDI/FWS. 2002. Fire Effects on Forests and Tundra Wildlife.
- Van Cleve, K. C.T. Dyrness, G.M. Marion and R. Erickson. 1993. Control of soil development on the Tanana River floodplain, interior Alaska. *Canadian Journal of Forest Research*. Vol. 23, No. 5, May 1993.
- Vannote, R.L. , G.W. Minshall, K.W. Cummins, J.R. Sedell, and C.E. Cushing. 1980. The river continuum concept. *Canadian Journal of Fisheries and Aquatic Sciences* 37:130-137.
- Viereck, L. A. 1973. Wildfire in the taiga of Alaska. *Quaternary Research* 3 (3):465-495.
- Viereck, L. A. and C. T. Dyrness. 1979. Ecological effects of the Wickersham Dome fire near Fairbanks, Alaska. USDA/USFS General Technical Report PNW-90.

- Viereck, L. A., and L. A. Schandelmeier. 1980 (1997 reprint). Effects of Fire in Alaska and adjacent Canada: a literature review. BLM-Alaska Technical Report 6:124 pp.
- Viereck, L.A. 1983. The effects of fire in black spruce ecosystem of Alaska and northern Canada. pp. 201-220 in *The Role of Fire in Northern Circumpolar Ecosystems*, R.W. Wein and D. A. MacLean, Eds. SCOPE.
- Viereck, L.A., C.T. Dyrness, A.R. Batten, and K.J. Wenzlick. 1992. *The Alaska Vegetation Classification*. USDA/USFS, Pacific Northwest Research Station General Technical Report PNW-GTR-286. 278 p.
- Vogl, R.J. 1976. *A Primer of Ecological Principles*. Pyro Unlimited, Cypress, CA.
- Waggoner, V. and M. Hinkes. 1986. Summer and fall browse utilization by an Alaskan bison herd. *Journal of Wildlife Management* 50:322-324.
- Warnock, N. D. and D. M. Troy. 1992. Distribution and abundance of spectacled eiders at Prudhoe Bay, Alaska: 1991. *Northern Alaska Research Studies*. Anchorage, AK. BP Exploration (Alaska) Inc., Environmental and Regulatory Affairs Dept., 21 pp.
- Webster, J.R., and S.W. Golladay. 1984. Seston transport in streams at Coweeta Hydrologic Laboratory, North Carolina, U.S.A. *Internationale Vereinigung fur theoretische und angewandte Limnologie Verhandlungen* 22: 1911-1919.
- Weixelman, D.A., R.T. Bowyer, and V.V. Ballenberghe. 1998. Diet selection by Alaskan moose during winter: effects of fire and forest succession. *Alces* 34:213-238.
- Wesche, T.A. 1993. Watershed management and land-use practices. In *Inland Fisheries Management in North America*, edited by C.C. Kohler and W.A. Hubert, pp. 181-203. Bethesda, MD: American Fisheries Society.
- Western Region Air Partnership (WRAP). 2002. *Annual Emission Goals for Fire*.
- Wiltzius, W. J. 1985. Fish culture and stocking in Colorado, 1872-1978. Colorado Division of Wildlife, Division Report No. 12.
- Wissmar, R.C., B.A. Smith, H.W. McIntosh and others. 1994. Ecological health of river basins in forested regions of eastern Oregon and Washington, USDA/USFS General Technical Report PNW-GTR-326. 65p.
- Wohl, E. E. 2001. *Virtual Rivers: Lessons from the Mountain Rivers of the Colorado Front Range*. Yale University Press, New Haven & London.
- Wolfe, Robert J., 2000. *Subsistence in Alaska: A Year 2000 Update*. Alaska Department of Fish and Game, Division of Subsistence. 4 pp.
- Wolff, J.O. 1980. The role of habitat patchiness in the population dynamics of snowshoe hares. *Ecological Monographs* 50:111-130.
- Wurtz, T. L. and J. C. Zasada. 2001. An alternative to clearcutting in the boreal forest of Alaska: a 27-year study of regeneration after shelterwood harvesting. *Canadian Journal of Forest Research* 31: 999-1011.
- Yarie, J. 1981. Forest fire cycles and life tables : a case study from interior Alaska. *Canadian Journal of Forest Research* 11:554-562.
- Young, M. K., A.L. Harig, B. Rosenlund, and C. Kennedy. 2002. Recovery history of greenback. USDA/USFS General Technical Report RMRS-GTR-88WWW:
- Youngblood, A.P. and J.C. Zasada. 1991. White spruce artificial regeneration options on river floodplains in interior Alaska. *Canadian Journal of Forest Research* 21: 423-433.
- Zasada, J. C. 1971. Natural regeneration of interior Alaska forests—seed, seedbed, and vegetative reproduction considerations. in Slaughter, C.W., R.J. Barney, and G.M. Hansen (ed.) *Proc. Fire in the Northern Environment*, A symp. 231-248.