

**ALASKA INTERAGENCY FIRE COORDINATION CENTER  
DAILY SITUATION REPORT  
JULY 1, 1996  
PREPAREDNESS LEVEL II**

**FIRE HISTORY:**

	NEW	CARRYOVER	OUT	FIRES-TO-DATE	ACRES-TO-DATE
<b>AFS TOTALS</b>	0	35	1	76	407711.7
GAD (GALENA)	0	2	0	11	2234.0
MIL (MILITARY)	0	2	0	7	84923.0
TAD (TANANA)	0	9	0	18	57861.2
UYD (UPPER YUKON)	1	21	1	40	262693.5
<b>STATE TOTALS</b>	2	15	2	435	75835.4
CRS (COPPER R.)	0	2	0	13	145.1
DAS (DELTA)	0	3	0	18	2083.9
FAS (FAIRBANKS)	0	3	0	141	211.9
HNS (HAINES)	0	0	0	5	2.5
KKS (KENAI)	1	3	1	78	24955.9
MSS (BIG LAKE)	1	1	1	149	37870.8
SWS (MCGRATH)	0	2	0	16	3848.9
TAS (TOK)	0	1	0	15	6716.4
<b>USFS TOTALS</b>	0	0	0	10	147.3
CGF (CHUGACH)	0	0	0	3	137.0
TNF (TONGASS)	0	0	0	7	10.3

**INCIDENTS:**

FED #	COORDINATES	AREA	OWNER	UNIT	CAUSE	ACRES	STATUS	MGMT
OPT.	STATE#	LEGAL DESCRIPTION					DATE STARTED	
USFS#	NARRATIVE							

**NEW AFS:**

**NEW STATE:**

5939	15133	KKS	BORO		H	0.1	OUT	CRI
603561	T006S R013W SNWSE18	S						06/30/96
KKS HOMER OFFICE RECEIVED REPORT OF FIRE BURNING UNDER A TREE ON WEST FAIRVIEW ST IN HOMER. C. CLANCEY RESPONDED IN E-840. FIRE WAS A 10' X 20' AREA OF SMOLDERING DUFF. FIRE WAS CAUSED BY CHILDREN PLAYING WITH FIREWORKS. IC CLANCEY AND HOMER VFD PERSONNEL EXTINGUISHED FIRE AND FIRE DECLARED OUT AT 1030 06/30/96.								
6133	14856	MSS	BORO		H	0.1	OUT	CRI
601562	T017N R003E SNWNE21	S						06/30/96
ONE ENGINE RESPONDED TO AN ABANDONED/ESCAPED CAMPFIRE IN BLACK SPRUCE/HARDWOODS IN THE JIM LAKE AREA. FIRE WAS EXTINGUISHED AT 0.1 ACRE, AND DECLARED OUT.								

**NEW USFS: NONE**

**CARRYOVER AFS:**

A241	6459 14117	UYD	NCA	HUN	H	5.5	S/C	MOD
	T002N R032E S18	F						05/16/96
STEADY RAIN FALL BEGAN 1715 HRS. FIRE WAS GRIDDED TODAY AND SOME HOSE LAYS WERE PULLED OFF THE LINE. THE DEMOB OF THE SUNS WILL TAKE TOMORROW AS WELL AS A PROBEYE.								
A305	6519 15052	TAD	STA		L	3400.0	U/U	LIM
631305	T006N R016W S20	F						05/26/96
FIRE WAS FLOWN TODAY BY 023 AND NO SMOKES WERE OBSERVED. WILL CONTINUE TO MONITOR.								
A321	6356 14622	MIL	MIL	ARMY	H	68560.0	U/U	LIM
632321	T011S R007E S21	F						05/29/96

THE FIRE WAS NOT FLOWN DUE TO RECENT RAIN.

A360	6534 14454	UYD	STA L&W	H	12760.0	U/C	FUL
631360	T009N R014E S31 F						06/03/96
	THE FIRE WAS NOT FLOWN DUE TO RECENT RAIN.						
A399	6443 14626	MIL	MIL ARMY	H	60.0	U/U	LIM
	T002S R006E S24 F						06/06/96
	THE FIRE WAS NOT FLOWN DUE TO RECENT RAIN.						
A453	6536 14733	UYD	BLM NOD	L	10476.0	U/U	LIM
	T009N R001E S21 F						06/15/96
	THE FIRE WAS NOT FLOWN DUE TO RECENT RAIN.						
A458	6530 14420	UYD	BLM NOD	L	600.0	U/C	MOD
	T008N R017E S30 F						06/16/96
	THE FIRE WAS NOT FLOWN DUE TO RECENT RAIN.						
A459	6533 14403	UYD	STA	L	38857.0	U/U	MOD
631459	T008N R018E S04 F						06/16/96
	THE FIRE WAS NOT FLOWN TODAY, BUT THE ACREAGE WAS RECALCULATED AND SHOW A SLIGHT GROWTH.						
A460	6620 14338	UYD	STA	L	37517.0	U/U	LIM
631460	T018N R019E S34 F						06/16/96
	FIRE WAS FLOWN ON 6/29. THERE WAS NO SIGNIFICANT ACREAGE GAIN. IT WAS NOT FLOWN 6/30 DUE TO WET, COLDER WEATHER.						
A462	6524 14714	UYD	BLM NOD	L	100.0	U/U	LIM
	T007N R002E S25 F						06/16/96
	THE FIRE WAS NOT FLOWN DUE TO RECENT RAIN.						
A469	6415 15118	TAD	STA	L	19200.0	S/U	LIM
632469	T007S R019W S33 F						06/17/96
	THE FIRE STILL HAS A LOT OF POTENTIAL INSPITE OF RECENT RAIN. SMOLDERING ALONG THE PERIMETER AND TORCHNING IN THE INTERIOR WERE OBSERVED. NO SIGNIFICANT GROWTH.						
A472	6551 14858	UYD	FWS YKF	L	5660.0	U/U	MOD
	T012N R007W S22 F						06/17/96
	THE FIRE WAS NOT FLOWN TODAY BUT THE ACREAGE WAS RECALCULATED AND DOWN SIZED 2157 ACRES.						
A475	6506 14105	UYD	NPS YCP	L	2200.0	U/U	LIM
	T003N R033E S06 F						06/17/96
	THE FIRE WAS NOT FLOWN DUE TO RECENT RAIN.						
A478	6525 14542	UYD	BLM NOD	L	1061.0	U/U	MOD
	T007N R010E S21 F						06/17/96
	THE FIRE WAS NOT FLOWN DUE TO RECENT RAIN.						
A480	6515 15701	GAD	FWS KUK	L	840.0	U/U	LIM
	T003S R009E S09 K						06/17/96
	FIRE NOT FLOWN DUE TO LITTLE EXPECTED GROWTH.						
A481	6739 14407	UYD	FWS ARC	L	248.0	U/U	LIM
	T033N R016E S27 F						06/17/96
	FIRE WAS FLOWN 6/29. THERE HAS BEEN NO INCREASE IN SIZE. IT WAS NOT FLOWN 6/30 DUE TO INCREASED MOISTURE AND COLDER TEMPERATURES.						
A482	6451 15155	TAD	BLM NOD	L	23000.0	U/U	LIM
	T001S R022W S02 F						06/17/96
	THE FIRE WAS NOT FLOWN DUE TO RECENT RAIN.						

A483 6648 14305 UYD NCA DOY L 4523.0 U/C MOD  
T023N R021E S24 F 06/17/96  
THREE LOADS OF SMOKEJUMPERS (I.C. BAUMGARDNER + 23) WERE  
DEMobilized FROM THE FIRE TODAY. THE FIRE HAS BEEN COLD TRAILED  
ALL AROUND THE EDGE, THE HOT SPOTS MOPPED UP AND GRIDDED THE FIRE.  
FIRE WILL CONTINUE TO BE MONITORED.

A484 6523 15344 TAD STA L 600.0 U/U LIM  
631484 T001S R025E S21 K 06/18/96  
FIRE WAS FLOWN TODAY BY DETECTION AIRCRAFT 023 AND THERE WERE NO  
VISIBLE SMOKES.

A486 6612 15427 TAD BLM NOD L 1250.0 U/U MOD  
T009N R021E S06 K 06/18/96  
FIRE WAS FLOWN TODAY BY DETECTION SHIP 023 AND NO SMOKES WERE SEEN.  
WILL CONTINUE TO MONITOR.

A489 6532 15442 TAD FWS KUK L 4220.0 U/U LIM  
T002N R020E S28 K 06/18/96  
FIRE WAS FLOWN TODAY BY DETECTION SHIP 023 AND ONE SMOKE WAS SEEN  
1.5 CHAINS IN FROM THE PERIMETER. WILL CONTINUE TO MONITOR.

A490 6353 15118 TAD NPS DEP L 4200.0 U/U LIM  
T012S R019W S09 F 06/18/96  
THE FIRE WAS NOT FLOWN DUE TO RECENT RAIN.

A491 6544 14359 UYD BLM NOD L 25256.0 U/U MOD  
T011N R018E S28 F 06/18/96  
THE FIRE WAS NOT FLOWN DUE TO RECENT RAIN.

A494 6349 15335 TAD BLM NOD L 665.0 U/U LIM  
T019S R027E S21 K 06/18/96  
A BLM AIRCRAFT, 93A, PASSING THE FIRE 10 MILES TO THE WEST,  
DESCRIBED IT AS BEING ACTIVE. SURFACE WINDS WERE CAUSING SOME  
VISIBLE FLAMES.

A497 6706 14153 UYD FWS ARC L 4680.0 U/U LIM  
T026N R027E S07 F 06/19/96  
FIRE WAS FLOWN 6/29. IT WAS NOT FLOWN 6/30 DUE TO INCREASED  
HUMIDITIES AND LOWER TEMPERATURES.

A500 6531 15837 GAD BLM NOD L 1120.0 U/U LIM  
T002N R002E S34 K 06/19/96  
FIRE NOT FLOWN DUE LITTLE EXPECTED GROWTH.

A504 6420 15316 TAD BLM NOD L 1280.0 U/U LIM  
T013S R028E S26 K 06/19/96  
THE FIRE WAS NOT FLOWN DUE TO RECENT RAIN.

A505 6542 14506 UYD BLM NOD L 120.0 U/U FUL  
T010N R013E S07 F 06/19/96  
THE FIRE WAS NOT FLOWN DUE TO RECENT RAIN.

A507 6635 14631 UYD FWS YKF L 29511.0 U/U LIM  
632507 T020N R006E S05 F 06/19/96  
FIRE WAS FLOWN 6/29. IT WAS NOT FLOWN 6/30 DUE TO INCREASED  
HUMIDITIES AND LOWER TEMPERATURES.

A508 6646 14757 UYD FWS YKF L 41072.0 U/U LIM  
T022N R002W S03 F 06/19/96  
FIRE WAS FLOWN 6/29. IT WAS NOT FLOWN DUE TO INCREASED HUMIDITIES  
AND LOWER TEMPERATURES.

4510 6747 14321 UYD FWS ARC L 10.0 U/U LIM  
T034N R019E S12 F 06/20/96  
FIRE WAS FLOWN 6/29. ACREAGE HAS NOT CHANGED. FIRE WAS NOT FLOWN  
6/30 DUE TO INCREASED HUMIDITIES AND LOWER TEMPERATURES.

4515 6535 14421 UYD BLM NOD L 60.0 U/U MOD  
T009N R016E S23 F 06/20/96  
THE FIRE WAS NOT FLOWN DUE TO RECENT RAIN.

4520 6544 14644 UYD BLM NOD L 7680.0 U/U LIM  
T011N R005E S33 F 06/21/96  
THE FIRE WAS NOT FLOWN DUE TO RECENT RAIN.

4521 6633 14332 UYD NCA L 40000.0 U/U FUL  
B2521 T020N R020E S19 F 06/22/96  
FIRE WAS FLOWN 6/29. IT WAS NOT FLOWN 6/30 DUE TO INCREASED  
HUMIDITIES AND LOWER TEMPERATURES.

**CARRYOVER STATE:**

6135 14934 MSS PRI H 37336.0 S/C CRI  
601000 T018N R003W SNESW27 S 06/21/96  
CREWS CONTINUED MOP UP OF HOT SPOTS CONCENTRATED IN AGRICULTURAL  
PILES IN BEAVER LAKE, RODGERS ROAD, HUNTERS ROAD, LUCILLE CREEK (3  
SEPARATE FIELDS), BOTH SIDES OF ECHO LAKE ROAD AND FISH CREEK. IN  
THE DP 65 AREA, AG PILES ARE BEING WORKED BY HAND CREWS USING PUMPS  
AND HOSE AND TRACK LAYER EXCAVATORS. CREWS ARE ALSO GRIDGING FOR  
ISOLATED SPOTS IN THE BOTTLE LAKE AREA (EAST OF DP 15). EARLY AM  
PROBEYE LOCATED ONLY 2 ISOLATED SMOKES NOT ASSOCIATED WITH AG  
PILES. TOTAL PEOPLE ON FIRE = 181

4159 6027 15013 KKS FWS KNA H 5200.0 U/C FUL  
603159 T004N R005W SSE 07 S 05/11/96  
FIRE STILL IN MONITOR STATUS.

4214 6132 14416 CRS NCA H 7.4 U/C FUL  
602214 T004S R006E SNESE14 C 05/14/96  
PATROL STATUS

5950 15145 KKS PRI H 1.5 U/C FUL  
603250 T004S R014W SNW 19 S 05/17/96  
FIRE PATROLLED BY ENGINE 840 TODAY. NO SMOKES WERE DETECTED. FIRE  
REMAINS IN MONITOR STATUS.

4411 6006 15112 KKS NCA H 17510.0 U/C FUL  
603411 T001S R011W SSWSW17 S 06/06/96  
FIRE FLOWN BY 600CK. ONE SMOKE VISIBLE WEST OF HELISPOT 21 IN THE  
INTERIOR. FIRE REMAINS IN PATROL STATUS.

4415 6315 14223 TAS NCA H 6710.0 U/C FUL  
613415 T017N R016E SSESW17 C 06/07/96  
FIRE NOT FLOWN TODAY DUE TO LOW INDICES.

4417 6355 14510 DAS PRI H 1800.0 U/C FUL  
612417 T012S R013E SNENE03 F 06/08/96  
NO ACTION TAKEN DUE TO CONTINUOUS RAIN. FIRE REMAINS IN PATROL  
STATUS.

6216 15734 SWS STA L&W L 2410.0 U/U LIM  
604463 T025N R045W SSWSE11 S 06/16/96  
FIRE NOT FLOWN TODAY

6216 15738 SWS STA L&W L 660.0 U/U LIM  
604464 T025N R045W SSWNE09 S 06/16/96  
FIRE NOT FLOWN TODAY

611485	6429 14816	FAS	NCA		L	150.0	U/C	FUL
	T005S R004W	SNENE14	F					06/18/96
	NOT MONITORED.							
602487	6251 14446	CRS	STA	L&W	L	80.0	U/U	LIM
	T012N R003E	SSENE01	C					06/18/96
	PATROL STATUS							
611541	6424 14815	FAS	STA	F&G	L	0.3	U/C	FUL
	T006S R004W	SNENE13	F					06/24/96
	NOT PATROLLED.							
A542	6403 14533	DAS	PRI		H	260.5	U/C	CRI
612542	T010S R011E	SNWNW21	F					06/24/96
	INCLEMENT WEATHER AND SOFT GROUND PREVENTS START OF REHAB WORK.							
	MET WITH LAND OWNERS TO DISCUSS REHAB CONCERNS AND FINALIZE REHAB							
	PLANS. WILL HIRE A CREW IN THE A.M. AND A LIGHT DOZER. PREPARING							
	FIRE PACKAGE. IC M. BOBO +6							
612543	6415 14412	DAS	PRI		L	1.0	U/C	CRI
	T025N R018E	SNESW18	C					06/24/96
	FIRE REMAINS ON PATROL STATUS.							
611552	6355 14839	FAS	STA	L&W	L	3.0	U/C	FUL
	T011S R006W	SSWNW36	F					06/27/96
	NOT PATROLLED.							

**CARRYOVER USFS: NONE**